



axesWord®

QuickStart-Guide

V07.2025





Content

Content	2
1 What is axesWord®?	4
1.1 Create a PDF/UA document with one click.....	4
1.2 Optional: create also an archivable PDF according to PDF/A.....	4
2 Understanding the concept	6
2.1 How axesWord® works.....	6
2.2 What does axesWord® do when converting a document?	6
2.3 Role mapping	7
2.4 Document requirements.....	8
2.5 Prepared templates.....	9
3 Installation, activation and checking license information	10
3.1 System requirements.....	10
3.2 Installing axesWord®	10
3.3 Activating axesWord®	10
3.4 License Information	10
4 The user interface.....	13
4.1 The "axesWord" tab	13
4.2 "Document" command group	13
4.3 "axesWord" command group.....	14
5 Tools	15
5.1 Tools for role mapping	15
5.2 "axesWord - role mapping" task pane.....	15
5.3 "Document settings" dialogue box.....	19
6 How to use axesWord® effectively.....	21



6.1 Use styles	21
6.2 Figures	21
6.3 Tables	21
6.4 Text boxes	23
6.5 Links	25
6.6 Enumerations and lists	25
6.7 Define the language	25
6.8 Document title	26
6.9 Headers and footers	26
7 Create an accessible PDF	28
8 Settings for initial view after opening the PDF	29
9 Advanced settings	30
10 Check accessibility of your PDF document	32
10.1 Download checking tools	32
10.2 Evaluate the results	32
11 Glossary	34



1 What is axesWord®?

1.1 Create a PDF/UA document with one click

axesWord® is an add-in for Microsoft Word to create accessible PDF documents according to **DIN-/ISO-Standard PDF/UA-1:2012** easily, quickly and reliably.

With axesWord® every Word user can create PDF/UA documents. Reworking is no longer necessary. The time-consuming quality control is omitted.

The formula for success is the use of templates and styles which are optimized for accessibility. All other tasks are done by axesWord®.

1.2 Optional: create also an archivable PDF according to PDF/A

axesWord® offers additionally the possibility to create a PDF/A document.

1.2.1 What is PDF/A?

PDF/A is a file format for long term archiving of digital documents. This format was standardized by the International Organization for Standardization (ISO) as a subset of the Portable Document Format (PDF).

1.2.2 What is the use of PDF/A?

PDF/A ensures that digital documents are readable, presentable and useable in the long run.

1.2.3 What is the relationship between PDF/A and PDF/UA?

PDF/A is available on several conformity levels: level a (accessible), b (basic), u (unicode). Level a is the highest level. It contains the other levels and requires the availability of tags.




Figure 1: Relationship between PDF/A-a (a = accessible) and PDF/UA. PDF/A-b and PDF/A-u do not require a tag structure.

axesWord® creates a document that conforms to PDF/A-2a. Only if there are characters available which are not mappable to unicode then axesWord® creates a document that conforms to PDF/A-2b, which nevertheless contains the complete logical structure tree.

The number «2» in PDF/A-2a or PDF/A-2b stands for PDF-Version 1.7.



2 Understanding the concept

2.1 How axesWord® works

axesWord® is not only a tool to create PDF documents. The maximum benefit occurs if the Word documents are already prepared for accessibility and working with axesWord®.

It is reasonable to save essential settings and converting rules in the Word template so that the author has only the following tasks to do:


Author tasks

- Use appropriate paragraph styles
- Use corresponding Word functions for specific elements (for example creating captions, footnotes, table of contents, links, references or hyphenation)
- If necessary: add further information to the used roles – for example alternative texts for figures or formulas
- If necessary: change the standard role in case of specific elements


2.2 What does axesWord® do when converting a document?

axesWord® executes a multi-level process when converting a document. The process contains the following 3 levels:


1. Creation of a PDF document based on an own conversion process



2. Analyzing the Word document



3. Creating a logical structure in the PDF (PDF structure tree) based on Word functions, styles and role mapping



The whole process may take some time in case of big documents.

2.3 Role mapping

To get the best result in terms of accessibility each element of the Word document must have the correct role mapping.

All **paragraph styles** provided from Word are mapped to a specific role as **default**. In nearly all cases this standard role is fitting. If necessary, you can change the role.

There is also a **default** role mapping for elements created with **Word Functions**. This is the case for captions, footnotes, table of contents, links, references or hyphenation.

For all **document elements** a role is already assigned as **default**. axesWord® recognizes automatically the natural semantics of the elements and assigns the corresponding role.

However, in case of **Figures, Tables, Text boxes** or **Headers/Footers** the role is adjustable. Their standard roles need only to be changed if natural semantics is not appropriate. This is the matter for **Layout-Tables, Definition lists, Artifacts** and **Formulas**. There is a context-sensitive task pane to adjust the role mapping:




Figure 2: The context-sensitive task pane "axesWord - role mapping"

In general, the **Default** role is appropriate. An element owns then the role that corresponds to its natural semantics. In the figure above for example the picture has automatically the role **Figure**.

Note

Only in the case of figures, tables, text boxes or headers/footers which do not correspond to their natural semantics the author has to adjust the role mapping.

2.4 Document requirements

A Word document must fulfil several requirements so that **axesWord®** can create a PDF/UA conform document:

- Each element (e.g. figure or text box) has an appropriate **Role mapping**.
- Each element has a defined position in the logical order of the document structure, e.g. a figure is anchored on the correct paragraph (simply said this corresponds to the **Reading order**).
- Figures have an **Alternative text** or are marked as decorative elements. The latter is called **Artifact** in technical language.
- Formulas have an **Alternative text**, which is normally the linearized form of the formula.
- **Tables** are data tables and not pictures.
- **Column** and **row headers** in tables are marked accordingly.



2.5 Prepared templates

You can use axesWord® with each Word document, also those based on the Word default template (Normal.dotx). However, you will get the best result if you work with prepared templates.

Such templates make the work for authors much easier when creating accessible documents, as they just have to use appropriate paragraph styles or quick parts.




Figure 3: Example of a prepared Word template to work with axesWord®



3 Installation, activation and checking license information

3.1 System requirements

Please refer to the information in our support article [System requirements](#).

3.2 Installing axesWord®

Download the current version of axesWord® from the web page.

<https://www.axes4.com/en/software-services/axesword/download>

Double-click on the setup program and follow the instructions to install the program on your computer.

3.3 Activating axesWord®

Information on activating axesWord® can be found in our [Support Center](#).

Note

If axesWord® is not activated, it runs in trial mode. In trial mode each PDF page has a watermark, and some characters are randomly colored.


3.4 License Information

You can check the license information at any time.

1. Go to the **axesWord** tab.
2. Click on the **License** button. The **License information** dialogue box opens:



License information



User:

Licensed

License

Name: axesWord | Team

Key:

Expiration: Sunday, March 1, 2026 12:00 AM

Technical information

User ID:

Device ID:

Copy support information

License manager

Close

Figure 4: "License information" dialogue box

The information in the **License information** dialogue box is described in Table 1.

Table 1: Descriptions of the contents of the "License Information" dialogue box

Field	Description
User	User of an axes4 software product. The current status of the license is displayed below the user, e.g. 'Licensed' or 'License expired' etc.
Name	The name of the license.
Key	The code to identify your license. The key is used to unlock your purchased axes4 software.
Expiration	All axes4 licenses grant the right to use the software for a certain period of time. The right to use the software expires on the displayed expiration date.
User ID	Anonymized user name.
Device ID	Anonymized device name.



About the buttons in the **License information** dialogue box:

- Copy buttons - Copy the corresponding information to the clipboard.
- **Copy support information** button - Copy all relevant information to the clipboard. This information must be included in any support requests.
- **License manager** button - Open the License Manager for your client.

3.4.1 License information for Entra ID Licensing

In case of Entra ID licensing, there is additionally a **Login** button to start the login process (after successfully logged in, a **Logout** button is displayed).



4 The user interface

4.1 The "axesWord" tab




Figure 5: "axesWord" tab

4.2 "Document" command group

4.2.1 "Export PDF" button

Opens a dialogue box with several settings to create an accessible PDF document.



Figure 6: "Export PDF" button

4.2.2 "Show role mapping" button

Opens a context-sensitive task pane where options are available to change the role mapping of figures, tables, text boxes or headers/footers.




Figure 7: "Show role mapping" button

4.2.3 "Document settings" button

Opens a dialogue box with options to assign roles to the available paragraph styles, to set up the initial view of the PDF document or to change advanced settings.




Figure 8: "Document settings" button

4.3 "axesWord" command group

4.3.1 "Info" button

Opens a dialogue box, in which the software version can be found.



Figure 9: "Info" button

4.3.2 "License" button

Opens a dialogue box, in which the licensing information can be found.




Figure 10: "License" button

4.3.3 "Help" button

Link to [axesWord® Online-Help](#)




Figure 11: "Help" button



5 Tools

5.1 Tools for role mapping

We distinguish between 2 tools to adjust the role mapping:

1. The **Show role mapping** button which opens the context-sensitive **axesWord - role mapping** task pane:

These settings are on element respective object level - for example for figures or text boxes. Manual role mapping is only necessary if the natural semantics of the elements is not appropriate. These changes of role mapping must be done by the author.

2. The **Document settings** button which opens the **Document settings** dialogue box:

These settings are on document level. Normally this was done by the creator of the template as there is expert knowledge required about accessibility.

5.2 "axesWord - role mapping" task pane

5.2.1 Change role mapping for special elements like figures, formulas, tables or text boxes

You can change the standard role mapping for the following elements in your document if necessary:

- Figures (automatically recognized role is **Figure**)
- Tables (automatically recognized role is **Table**)
- Text boxes (automatically recognized role is **Text box**)
- Header or footer (automatically recognized role is **Artifact**)

Proceed with the following steps:

1. Click on the **axesWord** tab.
2. Click on the **Show role mapping** button to open the context-sensitive **axesWord - role mapping** task pane.
3. Click in the document on a **Figure**, **Table**, **Text box** or **Header/Footer** and assign the corresponding role
4. Add an **Alternative text** to all elements which require one (figures and formulas)




Figure 12: Context-sensitive "axesWord - role mapping" task pane

5.2.2 Figures

Pictures, shapes, SmartArt, diagrams and WordArt can be assigned to the following roles:

- **Default**

This setting means that the concerned element is handled according to the information delivered by Word. In the case of a figure this is normally the **Figure** role. Do not forget to add an alternative text.

- **Figure**

Select this setting if you want to assign the **Figure** role to the element in every case (i.e. the element will be exported as a "Figure" structure element in every case). Do not forget to add an alternative text.

- **Formula**

Select this setting if you want to assign the **Formula** role to the element in every case (i.e. the element will be exported as a "Formula" structure element in every case). Do not forget to add an alternative text.

- **Artifact**

Select this setting if you want to assign the **Artifact** role to the element in every case. No alternative text is necessary.

**Note**

If you have a figure which consists of several single graphics, you should group them to one figure first or you should create one single figure and insert that instead. Then you can change the role of the figure and/or add an alternative text in a second step.

5.2.3 Tables

You can assign the following roles to tables:

- **Default**

This setting means that the concerned element is handled according to the information delivered by Word. In the case of a table this is normally the **Table** role.

- **Table**

Select this setting if you want to assign the **Table** role to the element in every case (i.e. the element will be exported as a "Table" structure element in every case).

- **Layout table**

Select this setting if you want to assign the **Layout table** role to the element. Do not forget to define the correct reading order ("Direction") for the rows and columns. In the PDF document no table structure will appear anymore. The elements of the table will be taken into the logical structure tree according to the set direction.

- **Definition list**

Select this setting if you want to assign the **Definition list** role to a table – for example a glossary or a list of abbreviations. The left-hand column becomes a label (structure element "Lbl"), the column(s) to the right of it the corresponding list entry (structure element "LBody").

5.2.4 Text box

You can assign the following roles to text boxes:

- **Default**

This setting means that the concerned element is handled according to the information delivered by Word. In the case of a text box this is normally the **Text box** role.



- **Figure**

Select this setting if you want to assign the **Figure** role to the element in every case (i.e. the element will be exported as a "Figure" structure element in every case). Do not forget to add an alternative text.

- **Formula**

Select this setting if you want to assign the **Formula** role to the element in every case (i.e. the element will be exported as a "Formula" structure element in every case). Do not forget to add an alternative text.

- **Text box**

Select this setting if you want to assign the **Text box** role to the element in every case (i.e. the element will be exported as a "Div" structure element with subordinated structure element(s) in every case).

- **Artifact**

Select this setting if you want to assign the **Artifact** role to the element in every case. No alternative text is necessary.

5.2.5 Header and footer

You can assign the following roles to headers and footers:

- **Default**

This setting means that the concerned element is handled according to the information delivered by Word. In the case of a header or footer this is normally the **Artifact** role.

- **Section header**

Select this setting if you want to take the content of a header or footer at the beginning of a (Word-)section into the logical structure tree.

- **Section trailer**

Select this setting if you want to take the content of a header or footer at the end of a (Word-)section into the logical structure tree.

- **Artifact**

Select this setting if you want to assign the **Artifact** role to the element in every case.

Note

You can define the role for headers and footers separately for each section.



5.3 "Document settings" dialogue box

Use the **Document settings** dialogue box to:

1. assign a specific role to a paragraph style.
2. specify how the PDF should be opened in a viewer, see chapter 8.
3. change advanced settings (define the position of footnotes/endnotes), see chapter 9.

5.3.1 Assign a role to a paragraph style

Use the **Document settings** dialogue box to assign a specific role to a paragraph style. We distinguish between:

1. Paragraph styles already available in Word (e. g. "Heading 1"):
They are already assigned to corresponding roles. Normally no changes are necessary.
2. User-defined paragraph styles:
You have to assign appropriate roles to those styles. Normally this was done by the creator of the template as there is expert knowledge about accessibility required.

5.3.2 Automatic role assignment

axesWord® assigns roles to paragraph styles automatically when no other assignments are available – for example:

- Headings of level 1-9 (based on outline levels)
- Captions (based on the Word function **Insert Caption**)
- Tables of contents (if they were created by the corresponding Word function)
- Lists (if they were created with the **Bullets**, **Numbering** or **Multilevel List** buttons in Word or if they were assigned to special user-defined paragraph styles)

5.3.3 User defined role assignment

According to the semantic of your user defined style, you must assign the appropriate role. By default, this is the **Default** role. This role is based on the natural semantics of the element. In most cases this is the **paragraph** role (i. e. the structure element "P" will be created for the corresponding paragraph).

This automatic assignment can be changed to the following roles:

- Paragraph
- Title
- Subtitle
- Heading (outline level 1- 100)
- List continue (outline level 1-10)



- Caption
- Blockquote
- Table header (complex table)
- Table header (simple table)
- Artifact

Typical examples for user-defined paragraph styles are styles for column or row headers in tables.




Figure 13: "Document settings" dialogue box



6 How to use axesWord® effectively

6.1 Use styles

Use the styles already available in Word or use your user-defined styles for which you have assigned a role with the **Document settings** dialogue box.

6.1.1 Get started

Check which styles are available.

6.1.2 Headings and other paragraph styles

Ideally you use the styles displayed in the **Home** tab. Define with them the appearance of your paragraphs, headings, lists and indentations and spacings.

The styles are already prepared in a way so that your text looks good and will help you to communicate your ideas.

Note

Take care of the outline level if you use heading styles.

6.1.3 Character styles

Additionally, you can use character styles to emphasize single elements. They have only an optical impact and no impact on the logical structure tree.

6.2 Figures

Decide whether your figures are relevant content or just decorative elements.

6.2.1 Relevant content

- Anchor your figures if they do not have the **In Line with Text** layout option. The figure will follow the content of the paragraph on which the figure is anchored.
- Add an alternative text in the **axesWord - role mapping** task pane.

6.2.2 Decorative elements

- Change the role in the **axesWord - role mapping** task pane to **Artifact**.

6.3 Tables

Decide whether your table is a data table, a layout table or a definition list and assign the corresponding role.



- Mark the column and row headers by using the corresponding user-defined paragraph styles.
- You **may** add a table summary in the **Alternative text** text box.

- Change the role in the **axesWord - role mapping** task pane to **Layout table** and define the **Direction**.





6.3.3 Definition lists

- Change the role of a table in the **axesWord - role mapping** task pane to **Definition list**.

6.4 Text boxes

Text boxes have the **Textbox** role as default. You can change this setting in the **axesWord - role mapping** task pane.




Figure 16: Role mapping for text box

Normally you will use text boxes to position textual information somewhere on a page. In this case, you can leave the **Default** role.

Additionally, anchor the text boxes to define their position in the reading order. The content of the text box will follow the content of the paragraph on which the text box is anchored.

6.4.1 Adopt Text Frame Link

In Word, you can set a link on the text box itself. To do this, right-click on the text box to open the context menu.




Figure 17: Text box with context menu

Click **Link** in the context menu and then enter the link as usual in the subsequent dialogue box.

For these text box links, you can use axesWord® to specify whether the link should be included in the PDF. To do this, select the **Yes** option from the **If available, adopt text frame link** drop-down list box.




Figure 18: axesWord® settings for text box links

In the following figure, you can see the result in the logical structure tree in the PDF. The content of the text box is in a "Div" structure element, which in turn is within a "Link" structure element.



Figure 19: Logical structure tree for a text box with link

6.5 Links

- Create active links to jump within your document or to call web sites.
- Test their function already in the Word document.

6.6 Enumerations and lists

Simple lists with only one level will be converted correctly.

However, for the following elements you need user-defined paragraph styles:

- Multilevel lists
- List Continue

6.7 Define the language

Define the language of your contents: select the content and check respective assign the language with the Word function.



Figure 20: Bottom line in Word with language information

To change the language, click on the language in the bottom line of Word. In the **Language** dialogue box, you can select the appropriate language.




Figure 21: "Language" dialogue box

6.8 Document title

Ideally you define a document title before converting your document within the Word document properties.

Click in Word on the **File** tab, then on the **Info** option. In the **Title** text box you can edit the document title.




Figure 22: Word document properties: "Title" text box

6.9 Headers and footers

Headers or footers are assigned to the role **Default** as default. That means that headers and footers do not appear in the structure tree of the PDF document. You can change this setting in the **axesWord - role mapping** task pane:




Figure 23: Role mapping for header or footer

Select the **Section header** role when the header or footer shall appear at the beginning of the logical structure tree in the corresponding (Word-)section.

Select the **Section trailer** role when the header or footer shall appear at the end of the logical structure tree in the corresponding (Word-)section.

Select the **Artifact** role to mark headers and footers as decorative elements in every case.

Note

The role mapping can be done separately for each section in your Word document.



7 Create an accessible PDF

1. Click in the **axesWord** tab on the **Export PDF** button.
2. In the **PDF Filename** text box, you can define the filename and memory location. As default, the name and memory location of the Word document is used.
3. Check if there is a document title in the **Document Title** text box. Change or add one if necessary.
4. Check if in the **Main Document Language** drop-down list box an appropriate language is set. Change it if necessary.
5. Activate the **Open PDF Document in Default Viewer** check box so that your PDF document will be shown in the default viewer after PDF creation is finished.
6. Activate the **PDF/A** check box to create a PDF document in PDF/A format.
7. Click on the **Create** button to start the analyzing and conversion procedure.

Export PDF

PDF Filename
C:\Users\Public\axesWord_Guide_EN_QuickStart_V22-08-04.pdf

Document Title
axesWord QuickStart-Guide

Main Document Language
English (USA)

☒ Open PDF Document in Default Viewer

☐ PDF/A

Create Cancel

Figure 24: "Export PDF" dialogue box



8 Settings for initial view after opening the PDF

You can use axesWord® to specify how the PDF should be opened in a viewer. To do this, click the **Document settings** button and then click on **Initial View** tab.

All recommended default settings are already set there.

If necessary, you can adjust them according to your needs.




Figure 25: “Document settings” dialogue box with “Initial View” tab

9 Advanced settings

You can use axesWord® to specify where footnotes/endnotes should be positioned in the logical structure tree. To do this, click on the **Document settings** button and then on the **Advanced** tab in the dialogue box.

The default setting is that all footnotes/endnotes (i. e. all "Note" structure elements) are listed at the very end of the logical structure tree (**After the document** option).




Figure 26: "Document settings" dialogue box with "Advanced" tab

If desired, you can change this setting - separately for footnotes and endnotes - so that the footnotes or endnotes are listed directly after the respective paragraph (select the **After the paragraph** option from the drop-down list box).




Figure 27: "Document settings" dialogue box with open "Footnote position" drop-down list box



10 Check accessibility of your PDF document

Check the quality of your final PDF document with a checking tool which executes a PDF/UA check, for example the free **PDF Accessibility Checker (PAC)** or the free trial version of **axesPDF®**.

10.1 Download checking tools

10.1.1 PDF Accessibility Checker (PAC)

<https://pac.pdf-accessibility.org/en>

10.1.2 axesPDF®

<https://www.axes4.com/en/products-services/axespdf/download>

10.2 Evaluate the results


If you have worked with Word properly, **axesWord®** will create an accessible PDF document. The document will pass an automatic PDF/UA check, which checks all requirements that can be checked by a machine.



PAC 2024 - PDF Accessibility Checker

PAC

Open document

 axesWord® QuickStart-Guide

Title **axesWord QuickStart-Guide**

Filename **axesWord_Guide_EN_QuickStart_V25-07-10.pdf**

Language **de**

Pages **36**

Tags **891**

Size **1 MB**

PDF/UA WCA Quality

The PDF/UA requirements checked by PAC are fulfilled.

Checkpoint	Passed	Warned	Failed
✓ PDF Syntax (ISO 32000-1)	967	-	-
✓ Fonts	9	-	-
✓ Content	68594	-	-
⊗ Embedded Files	-	-	-
✓ Natural language	33542	-	-
✓ Structure Elements	218	-	-
✓ Structure tree	891	-	-
✓ Role mapping	906	-	-
✓ Alternative Descriptions	33	-	-
✓ Metadata	3	-	-
✓ Document settings	10	-	-

Results in detail PDF report




  

Figure 28: PDF/UA Check with PDF Accessibility Checker (PAC)



11 Glossary

Anchor	Assignment of a figure or a text box (which are not used inline) to a paragraph of the main content. The anchoring defines the position in the logical structure tree.
Artifacts	All elements in a document, which have decorative character and/or are not relevant content. Examples are background pictures, printer's imprints, page numbers or texts from headers and footers which appear repeatedly on several pages. Artifacts are not part of the logical structure tree and are not processed from assistive technologies.
Assistive Technologies (AT)	Technical aids, which enable disabled persons to adapt digital contents according to their needs. Examples are screenreaders for blind people or a Braille line.
Button	Interactive element, with which specific functions can be executed or tools can be started.
Caption	A caption is a description text for a table or a figure and is positioned below or above the corresponding element. Captions are often numbered. In Word it is possible to create tables of content on the basis of these captions.
Context-sensitive	Means a representation or function, which is different depending on the context
Data table	A grid or matrix used for presentation of data.
Definition list	Special form of a list with individual labels: The label can be an expression or an abbreviation, the related list entry contains the corresponding explanation.
Dialogue box	The element of the user interface which appears after starting a function; requires interaction like an input, confirmation etc. A typical dialogue box is the window for creating an accessible PDF document in axesWord®.
Element	Generic term for all possible objects in a document: paragraphs, figures, formulas, etc.
Figure	Generic term for all pictographic objects in Microsoft Word



Glossary (see also Definition List)	List of expressions with corresponding explanations
Layout table	A table, which is used for layout purposes and not for the presentation of data.
Linearized view	View of contents which are ordered one after another
Link	Link between a source element (text or figure) and a destination element (foot-/endnote, reference, website, email address)
List continue	Further paragraphs within one list item
Logical document structure	<p>All tags sequenced in a hierarchical structure build up the logical document structure. So, this structure does not necessarily correspond with the appearance of a document, but with the division in meaningful units and elements. Therefore, there is a logical information flow from one unit to another.</p> <p>The logical document structure is the basis for a machine-readable document. And so it is also a precondition for an accessible document. A PDF-document, which has a logical structure, is called a "Tagged PDF".</p>
Logical order	<p>Logical order is the unambiguous linearized order of all content elements so that there is a logical information flow.</p> <p>The logical order results from the logical structure tree. It is independent from the positioning of an object on the respective page, even though logical order and visual positioning should be identical ideally – at least in documents with a simple layout.</p> <p>You can check the logical order by viewing the structure tree. The sequential arrangement of the tags determines the logical order. Simplified speaking, the logical order corresponds to the reading order (e.g. in case of assistive technologies).</p>
Multilevel list	A list with more than one outline level. Also referred to nested list.
Table header	Heading of a data cell, column or row. A data cell is only understandable if you know the corresponding header cells. This can be column headings or row headings.



Task pane	A task pane delivers a specific perspective on a document and provides options for analysis and evaluation, often also options to change settings or for editing.
Text box	A container for text which can be positioned freely.
Tool group	You find tool groups within the ribbon tabs. Each group contains tools which belong thematically together (e.g. the tool group Document).